MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-249

| repo | ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 04/04/2011 | | | | | | |
|-------|--|--|--|--|--|--|--|
| | 1. PRODUCT IDENTIFICATION | | | | | | |
| 1.1 | Product Name: | | | | | | |
| ''' | GELCOLOR BY OPI – TOP SEALER | | | | | | |
| 1.2 | Chemical Name: SOLVENT MIXTURE | | | | | | |
| 1.3 | Synonyms: NA | | | | | | |
| 1.4 | Trade Names: GC 030 | | | | | | |
| 1.5 | Product Use: COSMETIC USE ONLY | | | | | | |
| 1.6 | Manufacturer's Name: OPI PRODUCTS, INC. | | | | | | |
| 1.7 | Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA | | | | | | |
| 1.8 | Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 | | | | | | |
| 1.9 | Business Phone: +1 (818) 759-2400 / +1 (800)-341-9999 | | | | | | |
| | 2. HAZARD IDENTIFICATION | | | | | | |
| 2.1 | Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC 1008 (2004) and ADG Code (Australia). Flammable liquid. | | | | | | |
| 2.2 | Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES | | | | | | |
| 2.3 | Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression. | | | | | | |
| | and a first the the eyes. Symptoms of overexposure may include redness, ironing, irridian did watering. They be | | | | | | |
| | | | | | | | |
| | INHALATION: Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of vapors exceeding the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). | | | | | | |
| 2.4 | Symptoms of Overexposure: Symptoms of Skin overexposure in individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. | | | | | | |
| 2.5 | Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsines: | | | | | | |
| 2.6 | dizziness, headaches and nausea. Chronic Health Effects: | | | | | | |
| | None known. | | | | | | |
| 2.7 | Target Organs: | | | | | | |
| | Eyes, skin and respiratory system. | | | | | | |
| NIA - | Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used | | | | | | |
| ~- | Not Avoidable; ND = Not Determined, NZ = Not Extending an included. It is located in appropriate sections based on the ANSI Z400.1-2010 format. | | | | | | |

NOTE: all WHMIS required information is included. It is located in appropriate

$\begin{bmatrix} \mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I} \end{bmatrix}$

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-249

| Prepare | ed to OSHA, A | CC, ANSI, NO | OHSC, WHMIS & | & 2001/58 EC | Standards | MSDS R | evision | : 1.0 | | MSDS | Revisio | on Dat | e: 04/0 | 4/201 | 1 |
|-------------------------------------|------------------------------|--|---|---|--|---|--|--|--|--------------------------------|--------------------|-------------------|-------------------------|--------------------------------------|---------------------------------------|
| | <u> </u> | | | | | | | | | | | | | | |
| | | | 3. COM | POSITION | & INGRE | DIENT | INFO | DRM | ATIO | N | | | | | |
| | | | | | T | | | | EXPOS | URE LI | NITS IN | AIR (n | | | |
| | | | | | | | AC | | | NOHSC | <u> </u> | | OSHA | | |
| | | | | | | | pp | ppm | | ppm | | ppm | | τ | OTHER |
| CHEMICAL NAME(S) | | | CAS No. | RTECS No. | EINECS No. | % | TLV | STEL | ES- TWA | ES- STEL | ES- PEAK | PEL | STEL | IDLH | |
| DI-HEMA | TRIMETHYLHI | XYL | 72869-86-4 | NA | 276-957-5 | ≤ 65.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| HEMA | | | 868-77-9 | OZ4725000 | 212-782-2 | ≤ 20.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| HYDROX | YPROPYL MET | HACRYLATE | 27813-02-1 | UD3422500 | 248-666-3 | ≤ 15.0 | NA | NA | NF | NF | NF | NA | NA | NA | <u> </u> |
| TRIMETHY | YLBENZOYL 'LPHOSPHINE | **** | 75980-60-8 | NA | 278-355-8 | ≤ 2.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| HYDROX KETONE | YCYCLOHEX. | YL PHENYL | 947-19-3 | NA | 213-426-9 | < 1.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| POLYSILI | CONE-13 | | 158451-77-5 | NA | NA | < 1.0 | NA | NA | NF | NF | NF | NA | NA | NA | _ |
| CI 60725 | (VIOLET 2) | | 81-48-1 | CB7700000 | 201-353-5 | < 0.1 | NA | NA | NF | NF | NF | NA | NA | NA | |
| | | | | | | | <u></u> | <u> </u> | <u> </u> | | | <u> </u> | L | <u></u> | <u></u> |
| E | rst Aid: NGESTION: YES: KIN: | patient is vonearest Poisingested and Splashes are 15 minutes. If irritation of the effected spilled on cl | do not induce miting, contin on Control Ced the amount of interest in the not likely; ho if irritation occurs and produces, remove othes, remove aghly laundere | vomiting. If pue to offer wo nter or local e of the substan wever, if proc curs, contact of duct is on the ap and water | ater or milk. emergency note that was soluct gets in the physician. eskin, rinse the control of the physician. | neen swo Never gi umber. wallowe ne eyes, oroughly | allowed ve wa Provide d. flush w | rer or i e an e: vith cop ukewa ellina r | milk to stimate olous c rm wa persists | e of the imoun ter, foll | e time of tul | kewari | th the mate | mater er for c th was media | ial was at leas hing o tely. |
| 11 | NHALATION: | | tim to fresh air | | | | | | | | atsá, akka keresak | internación (APA) | artennia artikaliya kak | oestorinida | |
| 4.2 Medical Conditions Aggravated b | | | | | | | | | HEA | ITH. | | | | | 1 |
| i | lone known. | | | | | | | | | W. SOMETHIS | BILIT | Υ | | | 3 |
| | | | | | | | | | PHY | SCIA | L HA | ZAR | DS | | 0 |
| | | | | | | | | | PRC | TEC | IVE ! | EQU | PME | NT | Α |
| | | | | | | | | | EYES | | | | | 1 | |

0.P.I

MATERIAL SAFETY DATA SHEET

Page 3 of 8

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.0

MSDS Revision Date: 04/04/2011

5. FIREFIGHTING MEASURES

Flashpoint & Method: 5.1

-4 °C (24 °F) estimated.

Autoignition Temperature:

NA

5,3

Flammability Limits:

Lower Explosive Limit (LEL):

NE

Upper Explosive Limit (UEL):

NE

Fire & Explosion Hazards:

WARNING: Flammable! Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed.

Extinguishing Methods: 5.5

HazChem Code: 3YE


Hazard Identification Number: 33 CO₂, Halon, Dry Chemical, Foam

Firefighting Procedures: 5.6

When involved in a fire, this product will ignite readily and decompose to produce carbon oxides.

First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product.

HAZCHEM CODE: 3[Y]E



6. ACCIDENTAL RELEASE MEASURES

6.1

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

Work & Hygiene Practices:

Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Storage & Handling: 72

Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10).

Special Precautions: 7.3

Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

0.P·I

MATERIAL SAFETY DATA SHEET

Page 4 of 8

MSDS-249

| | | | | 0.10.10013 | | | |
|------|--|---|---|--|--|--|--|
| repo | ared to OSHA, ACC | C, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.0 | MSDS Revision Date: 04/04/2011 | | | |
| | | | | OF OR | | | |
| | | 8. EXPOSURE CONTROLS & | PERSONAL PROTE | CTION | | | |
| .1 | Ventilation & Engineering | | | | | | |
| | When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. | | | | | | |
| .2 | | | | dline if necessary use only respiratory | | | |
| | protection author | ratory protection is required under typical circ rized per U.S. OSHA's requirement in 29 CFR § ada, its provinces, E.C. member states, or Austral | 1710.134, of applicable | U.S. state regulations, or the appropriate | | | |
| .3 | Eye Protection: Depending on th | ne use of this product, splash or safety glasses | | ary, refer to U.S. OSHA 29 CFR §1910.133, | | | |
| | Canadian stando | ards, or the European Standard EN 166. | | | | | |
| 3.4 | Hand Protection: If anticipated the industrial use. If I | at prolonged & repeated skin contact will occu necessary, refer to U.S. OSHA 29 CFR §1910.138, th | during use of this produc ne appropriate standards c | ct, wear latex or rubber gloves for routine of Canada, of the E.C. member states. | | | |
| 3.5 | Body Protection: No special body | protection is required under typical circumstanc .C. member states, or U.S. OSHA. | | | | | |
| | | 9. PHYSICAL & CHE | MICAL PROPERTIES | | | | |
| 1.1 | Density: | 1.4730 - 1.4790 | | | | | |
| .2 | Boiling Point: | NA . | | | | | |
| .3 | Melting Point: | NE | | | | | |
| 2.4 | Evaporation Rate: | NA NA | | | | | |
| 2.5 | Vapor Pressure: | NA NA | | | | | |
| 9.6 | Molecular Weight: | NE NE | | | | | |
| 7.7 | Appearance & Color: | | | | | | |
| 7.8 | Odor Threshold: | ND | | | | | |
| 9.9 | Solubility: | Insoluble | | | | | |
| 2.10 | pH | | | | | | |
| 9.11 | Viscosity: | | | | | | |
| 9.12 | Other Information: | NA NA | | | | | |
| 7.12 | Office Information: | T IVA | | | | | |
| | | 10. STABILITY | & REACTIVITY | | | | |
| 10.1 | Stability: Stable under an | abient conditions when stored properly (see Secti | on 7, Storage and Handlin | g). | | | |
| 10.2 | Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO ₂). | | | | | | |
| 10.3 | Hazardous Polymerization: May occur, if exposed to extremely high temperatures. | | | | | | |
| 10.4 | Conditions to Avoid: This product is incompatible with strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide). | | | | | | |
| 10.5 | Incompatible Substa | | | | | | |

O.P.I

MATERIAL SAFETY DATA SHEET

Page 5 of 8

MSDS-249

MSDS Revision Date: 04/04/2011 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 11. TOXICOLOGICAL INFORMATION This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. See Section 2.5 Chronic Toxicity: 11.3 See Section 2.6 Suspected Carcinogen: 114 No. Reproductive Toxicity: 11.5 This product is not reported to produce reproductive effects in humans. This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: Physician Recommendations: 11.8 Treat symptomatically. 12. ECOLOGICAL INFORMATION There are no specific data available for this product. The components of this product will slowly degrade over time into a variety of 12.1 organic compounds. Effects on Plants & Animals: 12.2 There are no specific data available for this product. There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to 12.3 overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations. 13.2 U.S. EPA WASTE NUMBER: D001 (characteristic - ignitable)

A.P.T

MATERIAL SAFETY DATA SHEET

Page 6 of 8

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.0

MSDS Revision Date: 04/04/2011

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- 49 CFR (GND): EXCEPTED QUANTITY (49 CFR §173.4a) (≤ 30 ml) CONSUMER COMMODITY, ORM-D (≤ 1.0 L) UN1263, PAINT RELATED MATERIAL, 3, II (> 1.0 L)
- IATA (AIR): EXCEPTED QUANTITY (AIR SHIPPER § 4.1.2) (≤ 30 ml) CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L) UN1263, PAINT RELATED MATERIAL, 3, II (> 0.5 L)
- 14.3 EXCEPTED QUANTITY (2008 IMO § 3.5.1) (≤ 30 ml) UN1263, PAINT RELATED MATERIAL, 3, II, LTD QTY (≤ 1.0 L) UN1263, PAINT RELATED MATERIAL, 3, II (> 1.0 L)
- TDGR (Canadian GND): MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L) UN1263, PAINT RELATED MATERIAL, 3, II (> 1.0 L)
- ADR/RID (EU): 14.5 UN1263, PAINT RELATED MATERIAL, 3, II, ADR
- MEXICO (SCT): 14.6 UN1263, PRODUCTOS PARA PINTURA, 3, II, CANTIDAD LIMITADA (≤ 1.0 L)
- 14.7 UN1263, PAINT RELATED MATERIAL, 3, II, LTD QTY (≤ 1.0 L)











15. REGULATORY INFORMATION

- SARA Reporting Requirements: 15.1
- 15.2 SARA Threshold Planning Quantity:
 - There are no specific Threshold Planning Quantities for the components of this product.
- 15.3
 - The components of this product are listed on the TSCA Inventory.
- CERCLA Reportable Quantity (RQ): 15.4
 - NA
- Other Federal Requirements: 15.5
 - This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
- Other Canadian Regulations: 15.6
 - This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid.



- State Regulatory Information: 15.7
 - Ingredients in this mixture might be found on the some state criteria lists.
 - California Prop 65: None of the chemicals in this product are listed.

0.P.T

MATERIAL SAFETY DATA SHEET

Page 7 of 8

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 04/04/2011

15. REGULATORY INFORMATION - continued

67/548/EEC (European Union) Requirements:

The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC:

Hema: (Xi) Irritant. R: 36/38-43 Irritating to eyes and skin. May cause sensitization by skin contact. S: 2-26-28 Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.

HAZCHEM CODE: 3[Y]E



16. OTHER INFORMATION

16.1 Other Information:

FLAMMABLE! Keep away from heat or flame. Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running water. Use only in a well-ventilated area. If redness or other signs of adverse reaction occur, discontinue use immediately. Keep container closed. Store in a cool place. KEEP OUT OF REACH OF CHILDREN.

Terms & Definitions: 16.2

Please see last page of this MSDS.

16.3

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Prepared for: 16.4

OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone

+1 (818) 759-5770 fax http://www.opi.com/

Prepared by: 16.5

ShipMate, Inc.

P.O. Box 787

Sisters, OR 97759-0787

+1 (310) 370-3600 phone

+1 (310) 370-5700 fax

http://www.shipmate.com/

 $\mathbf{p} \cdot \mathbf{p} \cdot \mathbf{T}$



Dangerous Goods Training & Consulting

$O \cdot P \cdot T$

MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 04/04/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| CAS No. | Chemical Abstract Service Number |
|----------|----------------------------------|
| 0,10.10. | |

EXPOSURE LIMITS IN AIR:

| ACGIH | American Conference on Governmental Industrial Hygienists |
|-------|---|
| TLV | Threshold Limit Value |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous to Life and Health |

FIRST AID MEASURES:

| CPR | Cardiopulmonary resuscitation - method in which a person |
|-----|---|
| | whose heart has stopped receives manual chest |
| | whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide |
| | oxygen to the body. |


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | |
|------|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| . 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:









Respirator





OFO **Dust & Vapor**





Vapor Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

| NA | Not Available |
|------|------------------------------------|
| NR | No Results |
| NE | Not Established |
| NF | Not Found |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA | Self-Contained Breathing Apparatus |


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

| Autoignition | Minimum temperature required to initiate combustion |
|--------------|--|
| Temperature | in air with no other source of ignition |
| | = 1 : 1: 1 to rest persont of vapor in air by |
| l LEL | Lower Explosive Limit - lowest percent of vapor in air, by |
| | volume, that will explode or ignite in the presence of |
| | an ignition source |
| | Upper Explosive Limit - highest percent of vapor in air, |
| UEL | 1 Upper Explosive Limit - highest percent of vapor in any |
| | by volume, that will explode or ignite in the presence of |
| | an ignition source |

HAZARD RATINGS:

| 0 | Minimal Hazard |
|-----|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| -₩- | Use No Water |
| ОХ | Oxidizer |
| | |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals s |
|--|---|
| LC ₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TDio | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{lo} , LD _{lo} , & LD _o or | Lowest dose (or concentration) to cause lethal or |
| TC, TCo, LClo, & LCo | toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TLm | Median threshold limit |
| log Kow or log Koc | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| Canadian Workplace Hazardous Material Information System |
|--|
| U.S. Department of Transportation |
| Transport Canada |
| U.S. Environmental Protection Agency |
| Canadian Domestic Substance List |
| Canadian Non-Domestic Substance List |
| Canadian Priority Substances List |
| 11.S. Toxic Substance Control Act |
| European Union (European Union Directive 67/548/EEC) |
| |

EC INFORMATION:

| | W | * | 数 | 8 | % | * | * |
|-----------|-----------|-----------|---------|-----------|----------|----------|---------|
| С | E | F | N | 0 | T+ | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |