Sigma-Aldrich.

SAFETY DATA SHEET

Version 6.9 Revision Date 03/18/2023 Print Date 03/19/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Dichloromethane
Product Number	:	34856
Brand	:	SIGALD
Index-No.	:	602-004-00-3
CAS-No.	:	75-09-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Identified uses
 This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.
 Uses advised against
 This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as define
 - commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 34856

1.4

Page 1 of 12



2.2 GHS Label elements, including precautionary statements

GHS Laber elements, including precautionary statements				
Pictogram				
Signal Word	Warning			
Hazard statement(s) H315 H319 H336 H351	Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer.			
Precautionary statement(s)				
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.			
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.			
P264	Wash skin thoroughly after handling.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.			
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.			
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P308 + P313	IF exposed or concerned: Get medical advice/ attention.			
P332 + P313	If skin irritation occurs: Get medical advice/ attention.			
P337 + P313	If eye irritation persists: Get medical advice/ attention.			
P362	Take off contaminated clothing and wash before reuse.			
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.			
P405 P501	Store locked up.			
LJOI	Dispose of contents/ container to an approved waste disposal plant.			

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: Methylene chloride

Formula:CH2CMolecular weight:84.93CAS-No.:75-0EC-No.:200-Index-No.:602-	3 g/mol 9-2
---	----------------

Component	Classification	Concentration
Dichloromethane		
	Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; STOT SE 3; H315,	<= 100 %
	H319, H351, H336	

SIGALD - 34856

Page 2 of 12



Concentration limits:	
20 %: STOT SE 3, H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 34856

Page 3 of 12



SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Heat sensitive. Store under inert gas.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - 34856

Page 4 of 12



Component	CAS-No.	Value	Control parameters	Basis	
Dichloromethane	75-09-2	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	s Confirmed animal carcinogen wit humans		en with unknown relevance to	
		Potential O	Potential Occupational Carcinogen		
		PEL	25 ppm	OSHA Specifically Regulated Chemicals/Carcinogens	
		OSHA spec	OSHA specifically regulated carcinogen		
		STEL	125 ppm	OSHA Specifically Regulated Chemicals/Carcinogens	
		OSHA specifically regulated carcinogen			
		PEL	25 ppm 87 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		STEL	125 ppm 435 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Dichloromethane	75-09-2	Dichloromet hane	0.3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as	possible after exp	osure ceases)

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value		
	exposure				
Workers	Inhalation	Acute systemic effects	706 mg/m3		
Workers	Inhalation	Long-term systemic effects	353 mg/m3		
Workers	Skin contact	Long-term systemic effects	4750mg/kg BW/d		
Consumers	Ingestion	Long-term systemic effects	0.06mg/kg BW/d		
Consumers	Inhalation	Long-term systemic effects	88.3 mg/m3		
Consumers	Skin contact	Long-term systemic effects	2395mg/kg BW/d		
Consumers	Inhalation	Acute systemic effects	353 mg/m3		

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	0.583 mg/kg	
Sea water	0.194 mg/l	
Fresh water	0.54 mg/l	
Sea sediment	1.61 mg/kg	
Fresh water sediment	4.47 mg/kg	
Onsite sewage treatment plant	26 mg/l	
Aquatic intermittent release	0.27 mg/l	

SIGALD - 34856



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

protective clothing

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	ether-like
c)	Odor Threshold	250 ppm
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -97 °C (-143 °F)
f)	Initial boiling point and boiling range	39.8 - 40 °C 103.6 - 104 °F
g)	Flash point	() - closed cupdoes not flash
h)	Evaporation rate	0.71
i)	Flammability (solid,	No data available
<u>с</u> а	4050	

SIGALD - 34856

Page 6 of 12



	gas)					
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)				
k)	Vapor pressure	584 hPa at 25 °C (77 °F)				
I)	Vapor density	2.93				
m)	Density	1.325 g/mL at 25 °C (77 °F)				
	Relative density	No data available				
n)	Water solubility	13.2 g/l at 25 °C (77 °F)				
o)	Partition coefficient: n-octanol/water	log Pow: 1.25 at 20 °C (68 °F) - Bioaccumulation is not expected.				
p)	Autoignition temperature	605 °C (1121 °F) at 1,013 hPa - DIN 51794				
q)	Decomposition temperature	No data available				
r)	Viscosity	No data available				
s)	Explosive properties	No data available				
t)	Oxidizing properties	none				
Oth	Other safety information					
	Delative vaner	2.02				

Relative vapor 2.93 density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

Sensitivity to light The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with: Alkali metals nitrogen oxides nitrogen dioxide Potassium sodium azide perchloric acid Nitric acid aluminium chloride Amines Oxygen (as liquefied gas) powdered aluminium sodium aromatic hydrocarbons SIGALD - 34856

Page 7 of 12



with powdered aluminium Exothermic reaction with: Alkaline earth metals Powdered metals amides alcoholates nonmetallic oxides potassium tert-butanolate sodium amide Lithium

10.4 Conditions to avoid

no information available

10.5 Incompatible materials rubber, various plastics, Light metals, Metals, Mild steel

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor

Remarks: (ECHA) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritations - 4 h (OECD Test Guideline 404) Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA) Remarks: Risk of corneal clouding.

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

SIGALD - 34856

Page 8 of 12





Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: positive

Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

Limited evidence of carcinogenicity in animal studies Suspected human carcinogens

IARC: 2A - Group 2A: Probably carcinogenic to humans (Dichloromethane)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Dichloromethane)

OSHA: OSHA specifically regulated carcinogen (Dichloromethane)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 6 mg/kg

Repeated dose toxicity - Rat - male and female - Inhalation - 104 Weeks

RTECS: PA8050000

Dizziness, Nausea, Vomiting, narcosis, Cough, irritant effects, Unconsciousness, Shortness of breath, respiratory paralysis, somnolence, depressed respiration, CNS disorders, inebriation

Risk of corneal clouding.

The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys.

Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

SIGALD - 34856

Page 9 of 12



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 193.00 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA)
Toxicity to bacteria	static test EC50 - activated sludge - 2,590 mg/l - 40 min (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test LC50 - Pimephales promelas (fathead minnow) - 471 mg/l - 8 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 68 % - Readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

Bioaccumulation

Cyprinus carpio (Carp) - 6 Weeks - 250 µg/l(Dichloromethane)

Bioconcentration factor (BCF): 2 - 5.4 (OECD Test Guideline 305)

Cyprinus carpio (Carp) - 6 Weeks - 25 µg/l(Dichloromethane)

Bioconcentration factor (BCF): 6 - 40 (OECD Test Guideline 305)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SIGALD - 34856

Page 10 of 12



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US) UN number: 1593 Class: 6.1 Proper shipping name: Dichloromethane Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No	Packing group: III	
IMDG UN number: 1593 Class: 6.1 Proper shipping name: DICHLOROMETHAN	Packing group: III NE	EMS-No: F-A, S-A
IATA UN number: 1593 Class: 6.1 Proper shipping name: Dichloromethane	Packing group: III	

SECTION 15: Regulatory information

US TSCA Section 3

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Dichloromethane	CAS-No. 75-09-2	Revision Date 2007-07-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Dichloromethane	75-09-2	2007-07-01
Ponneylyania Pight To Know Components		
Pennsylvania Right To Know Components Dichloromethane	CAS-No.	Revision Date
	CAS NO.	Revision Date
SIGALD - 34856		Page 11 of 12



California Prop. 65 Components

, which is/are known to the State of California to
cause cancer. For more information go toCAS-No.Revision Datewww.P65Warnings.ca.gov.Dichloromethane75-09-22007-09-28

Other regulations

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.9

Revision Date: 03/18/2023

Print Date: 03/19/2023

SIGALD - 34856

Page 12 of 12



