

Safety Data Sheet P-O-W PLUS AEROSOL

Supersedes Date 10/03/2013

Issuing Date 09/09/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name P-O-W PLUS AEROSOL
Recommended use Insecticide
Information on Manufacturer
CERTIFIED LABS, DIV. OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code 5388
Chemical nature Petroleum distillates
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Colorless

Physical state liquid

Odor Petroleum distillates

GHS

Classification

Physical Hazards

Flammable Aerosols
Gases under pressure

Compressed Gas

Health Hazard

Aspiration Toxicity
Acute Dermal Toxicity
Serious Eye Damage/Eye Irritation
Specific target organ systemic toxicity (single exposure)

Category 1
Category 4
Category 2B
Category 3

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H222 - Extremely flammable aerosol
H336 - May cause drowsiness or dizziness
H312 - Harmful in contact with skin
H320 - Causes eye irritation
H304 - May be fatal if swallowed and enters airways
H280 - Contains gas under pressure; may explode if heated

Precautionary Statements

P210 - Keep away from heat, sparks, open flames or hot surfaces.
P251 - Pressurized container: Do not pierce or burn, even after use
P280 - Wear protective gloves, protective clothing and eye protection.
P264 - Wash face, hands and any exposed skin thoroughly after handling
P261 - Avoid breathing vapor
P271 - Use in a well-ventilated area.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P312 - Call a physician if unwell.
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists, get medical attention.
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.
P403 + P235 - Store in a well-ventilated place. Keep cool.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P501 - Dispose of contents and container in accordance with applicable local regulations.

2 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
Carbon dioxide	124-38-9	1-5

4. FIRST AID MEASURES

General advice	Avoid breathing vapors, mist, or gas. Avoid contact with skin, eyes and clothing.
Eye Contact	Hold the eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes of treatment, then continue rinsing the eye. Call a Poison Control Center or a doctor for treatment advice.
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Notes to physician	Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

5. FIRE-FIGHTING MEASURES

Flash Point 190 °F / 88 °C	Method Seta closed cup	
Flammability Limits in Air %: Mixture.	Upper: 5.0	Lower: 0.7
Suitable Extinguishing Media		
Foam. Dry chemical. Water spray. Carbon dioxide (CO ₂). Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Specific hazards arising from the chemical		
Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Material can create slippery conditions. Flame extension: >30 inches / >75 cm and Burnback: 0 inch / 0 cm.		
Protective Equipment and Precautions for Firefighters		
As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.		
Aerosol Level (NFPA 30B) -	3	
NFPA	Health 2	Flammability 3
HMIS	Health 2	Flammability 3
		Instability 0
		Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Keep away from open flames, hot surfaces and sources of ignition. Avoid breathing vapors, mist or gas. Avoid contact with skin, eyes and clothing.
Storage	Keep away from heat and sources of ignition. Keep in a dry, cool and well-ventilated place.
Storage Temperature	Minimum 35 °F / 2 °C Maximum 120 °F / 49 °C
Storage Conditions	Indoor X Outdoor Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated light	525 mg/m ³ TWA	No data available	No data available
Carbon dioxide	TWA: 5000 ppm STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³	40000 ppm STEL 30000 ppm STEL 54000 mg/m ³ TWA: 5000 ppm TWA: 9000 mg/m ³

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should
-----------------------------	---

Personal Protective Equipment	be achieved by the use of local exhaust ventilation and good general extraction.
Eye/Face Protection	Safety glasses with side-shields.
Skin Protection	Wear suitable protective clothing, Impervious gloves.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid	Viscosity	Non viscous
Color	Colorless	Odor	Petroleum distillates
Odor Threshold	Not applicable	Appearance	Transparent
pH	Not applicable	Specific Gravity	0.706
Evaporation Rate	59.62 (Butyl acetate=1)	Percent Volatile (Volume)	0
VOC Content (%)	0	VOC Content (g/L)	0
Vapor Pressure	5641 mmHg @ 70°F	Vapor Density	1.5 (Air = 1.0)
Solubility	Negligible	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	421 °F / 216 °C	Flammability (solid, gas)	No data available
Flash Point	190 °F / 88 °C	Method	Seta closed cup
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Mixture	Upper: 5.0 Lower: 0.7	

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from open flames, hot surfaces, and sources of ignition.
Incompatible Products	Strong oxidizing agents.
Decomposition Temperature	No data available
Hazardous Decomposition Products	Carbon oxides, Nitrogen oxides (NOx).
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Dermal LD50 No information available

Inhalation LC50

Gas No information available

Mist No information available

Vapor No information available

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

Primary Routes of Entry Skin contact, Skin Absorption.

Acute Effects:

Eyes Causes eye irritation.

Skin May cause skin irritation.

Inhalation May cause irritation of respiratory tract. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

Chronic Toxicity Prolonged skin contact may defat the skin and produce dermatitis.

Target Organ Effects Respiratory system, Central nervous system, Cardiovascular system.

Aggravated Medical Conditions Respiratory disorders, Skin disorders, Neurological disorders, Heart disease.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	no data available	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Carbon dioxide 124-38-9	no data available	no data available	no data available	no data available	Respiratory system

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow
Petroleum distillates, hydrotreated light	No information available.	LC50 = 45 mg/L Pimephales promelas 96 h LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency.

Container Disposal

Contents under pressure. Do not puncture. Empty remaining contents. Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION**DOT****Proper Shipping Name**
Hazard Class
DescriptionConsumer commodity
ORM-D
Consumer commodity ,ORM-D,**TDG****Proper shipping name**
Hazard Class
UN-No
DescriptionAerosols
2.1
UN1950
AEROSOLS,2.1,UN1950**ICAO****UN-No**
Proper Shipping Name
Hazard Class
Shipping DescriptionUN1950
Aerosols
2.1
Aerosols,UN1950**IATA****UN-No**
Proper Shipping Name
Hazard Class
ERG-Code
Shipping DescriptionUN1950
Aerosols, flammable
2.1
10L
UN1950,Aerosols, flammable,2.1**IMDG/IMO****Proper Shipping Name**
Hazard Class
UN-No
EmS No.
DescriptionAerosols
2
UN1950
F-D, S-U
UN1950, Aerosols,2**15. REGULATORY INFORMATION****Inventories****TSCA**

Complies

DSL

Complies

U.S. Federal Regulations**FIFRA**

This chemical is a pesticide product registered by the US EPA and is subject to certain labeling requirements under federal pesticide laws. These requirements differ from the classification criteria and hazard information required for SDSs, and for workplace labels of non-pesticide

chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Flammable

Contents under pressure

Causes moderate eye irritation.

Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals.

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	Yes	No

CERCLA

16. OTHER INFORMATION

Prepared By	Kim Franklin
Supersedes Date	10/03/2013
Issuing Date	09/09/2015
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.