

Page 1 of 6 SDS-341

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 4/12/2018

1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **OPI GELSHINE SOAK-OFF GEL COLOR – TOP COAT** Chemical Name 12 Mixture 1.3 Synonyms GS301 1.4 Trade Names OPI GelShine Soak-Off Gel Color Top Coat 1.5 Product Uses & Restrictions: Cosmetic Use Only 1.6 Distributor's Name **OPI Products, Inc.** 1.7 Distributor's Address: 4500 Park Granada Blvd, Calabasas, CA 91302 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) Business Phone / Fax: 1.9 Tel: +1 (818) 999-5112 2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Classification: Skin Sens. 1; Eve Irrit. 2B
2.2	Label Elements:	Hazard Statements (H): H317 – May cause an allergic skin reaction. H320 – Causes eye irritation. Precautionary Statements (P): P261 – Avoid breathing fume/mist/vapours/spray. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves and eyewear. P302+P352 – IF ON SKIN: Wash with soap and water. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P337+P313 – If eye irritation persists, get medical attention. P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL.
2.3	Other Warnings:	KEEP OUT OF REACH OF CHILDREN.

3. COMPOSITION & INGREDIENT INFORMATION

				-			-		-				
					EXPOSURE LIMITS IN AIR (mg/m ³)						g/m³)		
					AC	GIH		NOHSC			OSHA		
					pp	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
()						-		-			-		OTHER
DI-HEMA TRIMETHYLHEXYL	72869-86-4	NA	276-957-5	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
DICARBAMATE													
HYDROXYETHYL METHACRYLATE	868-77-9	OZ4725000	212-782-2	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
(HEMA)	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1; H319, H315, H317												
2-HYDROXYPROPYL	27813-02-1	UD3442500	248-666-3	10-30	NA	NA	NF	NF	NF	NA	NA	11200	
METHACRYLATE	Skin Sens. 1; Eye Irrit. 2; H317, H319												
HYDROXYCYCLOHEXYL PHENYL	947-19-3	NA	213-426-9	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
KETONE	Eye Irrit. 2; H37	19											
CI 60725 (VIOLET 2)	81-48-1	CB7700000	201-353-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
GI 00723 (VIOLLI Z)													

4. FIRST AID MEASURES First Aid: 4.1 If ingested, do not induce vomiting! Contact the nearest Poison Control Center or local emergency Ingestion: number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open Eyes: and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. Skin: If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove all contaminated clothing, including footwear and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately. Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate Inhalation: medical attention.



Page 2 of 6 **SDS-341**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4 SDS Revis

SDS Revision Date: 4/12/2018

			4. FIRST AID MEASURES – cont	.'d						
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiti depression.	ing and/or diarrhea and central nervous	s system					
		Eyes: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes.								
		<u>Skin</u> :	Symptoms of overexposure may include redness, itchir especially after prolonged contact. The product can dermatitis) upon prolonged or repeated exposure.	ng, irritation and watering. May be irritatin						
		Inhalation:	Vapors of this product may be moderately irritating to t system. Symptoms of overexposure can include cou breathing. Inhalation of concentrated vapors can drowsiness, dizziness, headaches, nausea). Odor ma may occur.	ughing, wheezing, nasal congestion, and cause central nervous system depression	l difficulty					
4.3	Symptoms of Overexposure:	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.								
4.4	Acute Health Effects:	drowsiness,	ritation to eyes and skin near affected areas. Additi dizziness, headaches and nausea.		an cause					
4.5	Chronic Health Effects:	The materia	I may cause an allergic reaction for some sensitive individ	luals.						
4.6	Target Organs:		Respiratory System.							
4.7	Medical Conditions Aggravated by Exposure:		dermatitis, other skin conditions, and disorders of the		1					
		target organ	s (eyes, skin, and respiratory system).	FLAMMABILITY	2					
				PHYSICAL HAZARDS	1					
				PROTECTIVE EQUIPMENT	В					
				EYES SKIN						
	Extinguishing Methodo	high tempera	to form toxic gases (e.g., CO , CO_2 , NO_x). Uncontrolled atures resulting in explosions or rupture of storage contain							
5.2	Extinguishing Methods:		n, CO ₂ , Dry Chemical							
5.2	Firefighting Procedures:	As in any demand) an spray to coo from enterin	n, CO ₂ , Dry Chemical fire, wear MSHA/NIOSH approved self-contained bre id full protective gear. Keep containers cool until well at ol fire-exposed surfaces and to protect personnel. If p g storm drains, bodies of water, or other environmentally ninated equipment with soapy water before returning to se	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary,	1					
		As in any demand) an spray to coo from enterin	fire, wear MSHA/NIOSH approved self-contained bre d full protective gear. Keep containers cool until well at ol fire-exposed surfaces and to protect personnel. If p g storm drains, bodies of water, or other environmentally	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary, ervice.	1					
		As in any demand) an spray to coo from enterin rinse contan Before clea Equipment (For <u>small s</u> Maximize v appropriate Wash all af clothing and For <u>large sp</u> material (e. <u>c</u> containers fi	fire, wear MSHA/NIOSH approved self-contained bre ad full protective gear. Keep containers cool until well at ol fire-exposed surfaces and to protect personnel. If p g storm drains, bodies of water, or other environmentally ninated equipment with soapy water before returning to se	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary, ervice. IRES anup must wear appropriate Personal F as oil) away from spill. onal protective equipment (e.g., goggles, material with absorbent material and p accordance with local, state and federal re- arm water and soap. Remove any cont ected individuals. Dike and contain spill ery or disposal and solid diking material to mptly and wash affected skin areas with	, gloves) place into gulations aminated with iner separate					
5.3	Firefighting Procedures:	As in any demand) an spray to coo from enterin rinse contan Before clea Equipment (For <u>small s</u> Maximize v appropriate Wash all af clothing and For <u>large sp</u> material (e.g containers fo water. Keep	fire, wear MSHA/NIOSH approved self-contained bre d full protective gear. Keep containers cool until well at ol fire-exposed surfaces and to protect personnel. If p g storm drains, bodies of water, or other environmentally ininated equipment with soapy water before returning to se 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cle (PPE). Keep incompatible materials (e.g., organics such a spills (e.g., < 1 gallon (3.8 L)) wear appropriate perso entilation (open doors and windows). Remove spilled closed container(s) for disposal. Dispose of properly in a fected areas and outside of container with plenty of wa wash thoroughly before reuse. <u>pills</u> (e.g., \geq 1 gallon (3.8 L)), deny entry to all unprote g, sand or earth). Transfer liquid to containers for recove or proper disposal. Remove contaminated clothing pror	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary, ervice. IRES anup must wear appropriate Personal F as oil) away from spill. onal protective equipment (e.g., goggles, material with absorbent material and p accordance with local, state and federal re- arm water and soap. Remove any cont ected individuals. Dike and contain spill ery or disposal and solid diking material to mptly and wash affected skin areas with rs and open bodies of water.	, gloves) place into gulations aminated with iner separate					
5.3	Firefighting Procedures:	As in any demand) an spray to coo from enterin rinse contan Before clea Equipment (For <u>small s</u> Maximize vi appropriate Wash all af clothing and For <u>large sp</u> material (e.c containers fi water. Keep 7 Avoid prolor ventilated lo	fire, wear MSHA/NIOSH approved self-contained bread full protective gear. Keep containers cool until well at old fire-exposed surfaces and to protect personnel. If preserves a general stream of the protect personnel is the protect personnel is the protect personnel of the protect person person of the protect person of the protect person of the protect person person of the protect pers	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary, ervice. IRES anup must wear appropriate Personal F as oil) away from spill. onal protective equipment (e.g., goggles, material with absorbent material and p accordance with local, state and federal re- arm water and soap. Remove any cont ected individuals. Dike and contain spill ery or disposal and solid diking material to mptly and wash affected skin areas with rs and open bodies of water. ATION rapors generated by this product. Use i sed skin thoroughly with plenty of soap & w	, gloves) place into gulations aminated with iner separate soap and n a well vater afte					
6.1	Firefighting Procedures: Spills:	As in any demand) an spray to coo from enterin rinse contan Before clea Equipment (For <u>small s</u> Maximize ve appropriate Wash all af clothing and For <u>large sg</u> material (e.c containers fe water. Keep 7 Avoid prolor ventilated lo using this p product. Use and sto heat. Keep storage dev containers n precaution a	fire, wear MSHA/NIOSH approved self-contained bread full protective gear. Keep containers cool until well at the fire-exposed surfaces and to protect personnel. If protective gears, bodies of water, or other environmentally standard equipment with soapy water before returning to set 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cle (PPE). Keep incompatible materials (e.g., organics such a spills (e.g., < 1 gallon (3.8 L)) wear appropriate person entilation (open doors and windows). Remove spilled closed container(s) for disposal. Dispose of properly in a fected areas and outside of container with plenty of was thoroughly before reuse. bills (e.g., \geq 1 gallon (3.8 L)), deny entry to all unprote g., sand or earth). Transfer liquid to containers for recover or proper disposal. Remove contaminated clothing prore by spills and cleaning runoffs out of drains, municipal severe C. HANDLING & STORAGE INFORMA nged contact with this material. Avoid breathing the viscation (e.g., local exhaust ventilation, fans). Wash expose	fter the fire is out. Use water possible, prevent runoff water sensitive areas. If necessary, ervice. IRES anup must wear appropriate Personal F as oil) away from spill. onal protective equipment (e.g., goggles, material with absorbent material and p accordance with local, state and federal re- arm water and soap. Remove any cont ected individuals. Dike and contain spill erry or disposal and solid diking material to mptly and wash affected skin areas with rs and open bodies of water. ATION rapors generated by this product. Use i sed skin thoroughly with plenty of soap & w Do not eat, drink, or smoke while han naust ventilation, fans). Keep away from e co ond store in damaged or unmarked com e. Open slowly on a level, stable surface mpty containers should be handled with ca	, gloves) place into gulations aminated with iner separate soap and vater after dling this excessive tainers of e. Empty are. As a					



Page 3 of 6 **SDS-341**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4 S

SDS Revision Date: 4/12/2018

3.1	Exposure Limits:	8. EXPOSURE 0	ACGIH	1	NOHSC		1	OSHA		OTHER
i. 1	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	OTHER
		2-HYDROXYPROPYL METHACRYLATE	NA NA	NF	NF	NF	NA	NA	1120 0	
.2	Ventilation & Engineering Controls:	Use with adequate ventil available (e.g., sink, safet				ins). Ensu	re appr	opriate	deconta	mination equipmer
.3	Respiratory Protection:	No special respiratory pr instances where vapors needed, use only protect or the Canadian CAS S	lo special respiratory protection is required under typical circumstances of use or handling. In Instances where vapors or sprays of this product are generated, and respiratory protection is eeded, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, r the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC nember States, or Australia.							
4	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.								
.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon), wear rubber or impervious								
.6	Body Protection:	plastic gloves. No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.								
0.1	Appearance:	9. PHYS Clear Viscous Gel	ICAL & CH				3			
	Odor:									
1.2	Odor Threshold:	Slight	Ddor							
	pH:	Characteristic Acrylates (ND	Jdor							
	Melting Point/Freezing Point:	ND								
.	Initial Boiling Point/Boiling									
.0	Range:	> 212 °F								
.7	Flashpoint:	NA								
.8	Upper/Lower Flammability Limits:	NA								
.9	Vapor Pressure:	ND								
.10	Vapor Density:	NA								
.11	Relative Density:	1.4730 – 1.4790								
.12	Solubility:	Immiscible								
.13	Partition Coefficient (log Pow):	NA								
9.14	Autoignition Temperature:	NA								
.15	Decomposition Temperature:	NA								
9.16	Viscosity:	1,000 – 2,000 cPs								
9.17	Other Information:	ND								
		10.	STABILIT	Y & RE	ACTIVI	ТҮ				
10.1	Stability:									
10.2	Hazardous Decomposition Products:	Relatively stable under ambient conditions when stored properly. If exposed to <u>extremely high temperatures</u> , products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen).								
10.3	Hazardous Polymerization:	Will not occur.								
10.4	Conditions to Avoid:	Exposure or contact to ex			atible cher	nicals, stro	ng light	sources	, sparks	s, flame.
10.5	Incompatible Substances:	Strong oxidizers, peroxid	es, strong acids o	r alkalis.						
		11. TC	XICOLOGI	CAL IN	FORM	ATION				
1.1	Routes of Entry:	Inhalation:	YES	A	bsorption:	YES			Ingesti	on: YES
1.2	Toxicity Data:	This product has NOT be of the product, which are	een tested on anii found in scientific	nals to obta literature	ain toxicolo This data l	ogy data.	There a	re toxico ented in	ology da this doc	ta for the compone
1.3	Acute Toxicity:	See Section 4.4								
1.4	Chronic Toxicity:	See Section 4.5								
1.5	Suspected Carcinogen:	No								
11.6	Reproductive Toxicity:	This product is not report	ed to produce rep	roductive to	oxicity in hu	umans.				
_	Mutagenicity:	This product is not report		0						
	Embryotoxicity:	This product is not report								
	Teratogenicity:	This product is not report	ed to cause terato	genic effec	ts in huma	ns.				
	Reproductive Toxicity:	This product is not report		-						



Page 4 of 6 **SDS-341**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 4/12/2018

	11. TOXICOLOGICAL INFORMATION – cont'd				
11.7	Irritancy of Product:	See Section 4.3			
11.8	Biological Exposure Indices:	NE			
11.9	11.9 Physician Recommendations: Treat symptomatically.				
	12. ECOLOGICAL INFORMATION				

12.3	Effects on Aquatic Life:	There are no specific data available for this product. Releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this SDS.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.1	Environmental Stability:	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Dispose in accordance with local, state, provincial and Federal hazardous waste laws.
13.2	Special Considerations:	NA

14. TRANSPORTATION INFORMATION

	The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.				
	, i				
14.1	49 CFR (GND):	NOT REGULATED			
14.2	IATA (AIR):	NOT REGULATED			
14.3	IMDG (OCN):	NOT REGULATED			
14.4	TDGR (Canadian GND):	NOT REGULATED			
14.5	ADR/RID (EU):	NOT REGULATED			
14.6	SCT (MEXICO):	NOT REGULATED			
14.7	ADGR (AUS):	NOT REGULATED			

		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	NA
15.2	SARA Threshold Planning Quantity:	NA
15.3	TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.
15.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects)
15.7	State Regulatory Information:	<u>2-Hydroxyethyl Methacrylate</u> is listed on the following state criteria list(s): NJ and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov.



Page 5 of 6 SDS-341

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 4/12/2018

		16. OTHER INFORMATION
16.1	Other Information:	 WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eyewear. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs - Get medical advice/attention. If eye irritation persists, get medical attention. For specific first aid treatment (See Section 4 of this Safety Data Sheet). Wash contaminated clothing before reuse. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	OPI Products, Inc. 4500 Park Granada Blvd Calabasas, CA 91302 USA Tel: +1 (818) 999-5112 http://www.opi.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 SDS-341

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 4/12/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate					
	blood and provide oxygen to the body.					

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α	8		G 🖨 🕥 🗭
В	6		н 🚱 🚯 🍪
С			I 🕞 🚯 🚱
D	B		J 🕒 🕼 🕲 L
Е	6		к 😭 🖤 🚯 🔇
F			X Consult your supervisor or SOPs fo special handling directions.
Sa	ifety Glasses	Splash Goggles	Face Shield & Gloves Protective Gloves
	Boots	Protective Apron	Protective Clothing & Full Suit
Full Face Respirator			Full Face Respirator

OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other				
Temperature	source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨	$\textcircled{\begin{subarray}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	1	۲		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compresse d	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	٢		\Diamond			(!)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environmen t