SAFETY DATA SHEET

1. Identification

Product identifier	BIOLAGE SCALPSYNC PURIFYING SCALP CONCENTRATE
Other means of identification	
SDS number	30-12-0000052
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
US Address:	L'Oreal USA Products, Inc
	133 Terminal Avenue
	Clark, NJ 07066
	USA
Canadian Address:	L'Oreal Canada
	4895 rue Hickmore
	Ville St-Laurent, H4T 1K5
	Canada
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500)
Emergency Phone # .	In Canada - 1-613-996-6666 (Canutec (*666 Cellular))
For further Information:	1-732-499-2741
Poison Control # :	412-390-3326

2. Hazard(s) identification

Label elements

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
OSHA defined hazards	Not classified.	

Warning Signal word Hazard statement Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. **Precautionary statement** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly Prevention closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.

Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHANOL		64-17-5	≤ 10
GLYCOLIC ACID		79-14-1	< 2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value		
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m3		
		1000 ppm		
US. ACGIH Threshold Limi	t Values			
Components	Туре	Value		
ETHANOL (CAS 64-17-5)	STEL	1000 ppm		
US. NIOSH: Pocket Guide t	o Chemical Hazards			
Components	Туре	Value		
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3		
		1000 ppm		
ological limit values	No biological exposure limits noted f	or the ingredient(s).		
propriate engineering ntrols	Ventilation rates should be matched exhaust ventilation, or other enginee	chaust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ring controls to maintain airborne levels below recommende we not been established, maintain airborne levels to an tation and safety shower.		
ividual protection measures	, such as personal protective equipn	nent		
Eye/face protection	Applicable for industrial settings only shields (or goggles).	r. Face shield is recommended. Wear safety glasses with sid		
Skin protection				
Hand protection	Applicable for industrial settings only	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.		
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Respiratory protection	Applicable for industrial settings only. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.			
Thermal hazards	Wear appropriate thermal protective	clothing when necessary		

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	4.3 - 4.9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	111.2 °F (44.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.96 - 1 g/cm3
Explosive properties	Not explosive.
Fire point	< 212.00 °F (< 100.00 °C) ISO 2592
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	ion

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact	Causes skin irritation.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion	n hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Sympton vision. Skin irritation. May cau		, tearing, redness, swelling, and blurred
Information on toxicological effe	cts		
Acute toxicity	Not known.		
Product	Species		Test Results
BIOLAGE SCALPSYNC PURIFYIN	IG SCALP CONCENTRATE		
<u>Acute</u> Dermal ATEmix			2.128e+006 mg/kg
Oral ATEmix			130900 mg/kg
Components	Species		Test Results
ETHANOL (CAS 64-17-5)			
<u>Acute</u> Dermal LD50	Rabbit		> 20000 mg/kg
Inhalation			5 5
Vapor LC50	Rat		124.7 mg/l, 4 h OECD 403
Oral	Det		
	Rat		10470 mg/kg OECD 401
GLYCOLIC ACID (CAS 79-14-1)			
<u>Acute</u> Inhalation LC50	_		3.6 mg/l, 4 Hours
Aerosolized dust LC50	Rat		3.6 mg/l, 4 h
Oral			
LD50	Rat		1950 mg/kg
Skin corrosion/irritation	Causes skin irritation.		
Irritation Corrosion - Ski GLYCOLIC ACID ETHANOL	n	OECD 404 Result: Corrosive Species: Rabbit OECD 404	
		Result: Not Irritating Species: Rabbit	
Serious eye damage/eye irritation	Causes serious eye irritation.		
Irritation Corrosion - Eye GLYCOLIC ACID	3	OECD 405 Result: Corrosive Species: Rabbit	
ETHANOL		OECD 405 Result: Irritating Species: Rabbit	
Respiratory or skin sensitization			
Deeniroten/ eensitization	Not a respiratory sensitizer.		
Respiratory sensitization Skin sensitization	This product is not expected to	· · · · · · · · · · · · · · · · · · ·	

Skin sensitization ETHANOL			OECD 406 Result: Not Sensitizing Species: Guinea pig	
GLYCOLIC ACID			OECD 406 Result: Not Sensitizing Species: Guinea pig	
Germ cell mutagenicity	No data avail mutagenic or		product or any componen	ts present at greater than 0.1% are
Mutagenicity				
ETHANOL			Result: In vitro and in v effects.	ivo tests did not show mutagenic
GLYCOLIC ACID				ivo tests did not show mutagenic
Carcinogenicity	Not classifiab	ole as to carcinog	enicity to humans.	
IARC Monographs. Overall	Evaluation of C	Carcinogenicity		
Not listed. OSHA Specifically Regulat	ed Substances	(29 CFR 1910.1	001-1052)	
Not regulated. US. National Toxicology Pi	rogram (NTP) P	aport on Carcin	00005	
Not listed.	ogram (NTF) K		ogens	
Reproductive toxicity	Possible repr	oductive hazard.		
Developmental effects	j			
ETHANOL			> 20000 ppm OECD 4′ Result: NOAEL Species: Rat	 No effects on development
GLYCOLIC ACID			150 mg/kg bw/d OECD Result: NOAEL Species: Rat	414
Reproductivity			opeoles. Nat	
ETHANOL			20700 mg/kg bw/d OE0 Result: NOAEL Species: Rat	CD 416, No effects on fertility
GLYCOLIC ACID			600 mg/kg bw/d OECD Result: NOAEL Species: Rat	415
Specific target organ toxicity - single exposure	Not classified	1.		
Specific target organ toxicity - repeated exposure	Not classified	1.		
GLYCOLIC ACID			150 mg/kg bw/d OECD Result: NOAEL Species: Rat	408
ETHANOL			Test Duration: 90 d 1730 mg/kg bw/d OEC Result: NOAEL Species: Rat	D 408, Oral
Aspiration hazard	Not an aspira	ation hazard.		
Further information		e to any animal to plic, third-party da		ituents mentioned in this document is
12. Ecological informatio	n			
Ecotoxicity				lous. However, this does not exclude the full or damaging effect on the environment.
Components		Species		Test Results
ETHANOL (CAS 64-17-5)				
Aquatic				
Acute				
Algae	EC50		eriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia	dubia	5012 mg/l, 48 h

Components		Species	Test Results
Fish	LC50	Pimephales promelas	15300 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h
Chronic			
Crustacea	NOEC	Daphnia magna	9.6 mg/l, 9 d
Fish	NOEC	Danio rerio	250 mg/l, 120 h OECD 212
GLYCOLIC ACID (CAS 79-14	4-1)		
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	44 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	141 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	164 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 h OECD 209
ersistence and degradability			
Biodegradability Percent degradation (A	verobic biodeg	gradation)	
ETHANOL GLYCOLIC ACID	_	84 % Result: Readily Biodeg Test Duration: 20 d 89.6 % OECD 301 D	ıradable
		Result: Readily Biodeg Test Duration: 28 d	radable
oaccumulative potential			
Partition coefficient n-octai	nol / water (log	g Kow)	
ETHANOL		-0.31	
GLYCOLIC ACID	No data ava	-1.11 ilabla	
obility in soil			relation relation provided around a constian
ther adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
3. Disposal consideratio	ns		
sposal instructions		reclaim or dispose in sealed containers at ntainer in accordance with local/regional/na	• •
ocal disposal regulations	Dispose in a	accordance with all applicable regulations.	
azardous waste code	This product	t is ignitable (D001) RCRA hazardous was	tes when intended for disposal.
aste from residues / unused oducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
ontaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container i emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
4. Transport information	I		
т			
NISHED GOODS			
UN number	UN1170		

FINISHED GOODS	
UN number	UN1170
UN proper shipping name	ETHANOL SOLUTION, Limited Quantity
Class	3
Packing group	111
Transport hazard class(es)	
Label(s)	Limited Quantity
Packaging exceptions	4b, 150
LTD QTY Net Inner Capacity	5.0 L
BULK	
UN number	UN1170

UN proper shipping name	ETHANOL SOLUTION		
Class Backing group	3 		
Packing group Transport hazard class(es)			
Label(s)	3		
Special provisions	24, B1, IB3, T2, TP1		
Packaging non bulk	203		
ΙΑΤΑ			
FINISHED GOODS			
UN number	ID8000		
UN proper shipping name	CONSUMER COMMODITY		
Class	9 - Class 9		
Packing group	Not applicable.		
Transport hazard class(es)	Close 0. Limited Quantity		
Label(s) ERG Number	Class 9, Limited Quantity 9L		
BULK	32		
UN number	UN1170		
UN proper shipping name	ETHANOL SOLUTION		
Class	3		
Packing group	III		
ERG Number	3L		
IMDG			
FINISHED GOODS			
UN number	UN1170		
UN proper shipping name	ETHANOL SOLUTION, Limited Quantity		
Class Packing group	3 III		
Environmental Hazards	111		
Marine pollutant	No.		
Transport hazard class(es)			
Label(s)	Limited Quantity		
EmS	F-E, S-D		
LTD QTY Net Inner Capacity	5.0 L		
BULK			
UN number	UN1170		
UN proper shipping name	ETHANOL SOLUTION		
Class Packing group	3 		
Environmental hazards	111		
Marine pollutant	No.		
EmS	F-E, S-D		
45 Degulatory information			
15. Regulatory information			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
Taula Oukatan asa Oantual A			
Toxic Substances Control A			
	ort Notification (40 CFR 707, Subpt. D)		
Not regulated.			
CERCLA Hazardous Substance List (40 CFR 302.4)			
ETHANOL (CAS 64-17-5) Listed.			
SARA 304 Emergency release notification			
Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)			
Not regulated.			
Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance			
-	Not listed.		

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace Low priority

ETHANOL (CAS 64-17-5)

16. Other information, including date of preparation or last revision

Issue date	03-14-2023
Version #	01
NFPA ratings	Health: 2 Flammability: 2 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.