

**AMERICAN INTERNATIONAL INDUSTRIES**

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 1 of 8

*Clubman Talc Powder - Original***SECTION 1. IDENTIFICATION***PRODUCT DESCRIPTION*

CLUBMAN TALC POWDER - ORIGINAL

ITEM NUMBER

276000, 277000 (30-2244)

PRODUCT TYPE

Finished Good

RECOMMENDED USE

Personal Care Product

USES ADVISED AGAINST

All other uses

MANUFACTURER

American International Industries
2220 Gaspar Ave
Los Angeles, CA 90040
Phone: (323) 728-2999

EMERGENCY PHONE

CHEM-TEL: 1-(800)-255-3924

SECTION 2. HAZARD IDENTIFICATION

| <i>HAZARD CLASS</i> | <i>CATEGORY</i> | <i>PICTOGRAM</i> |
|--------------------------|--|------------------|
| Not Classified | Not Classified | None |
| Signal word | None | |
| Hazard Statement | Non Hazardous | |
| Hazard Codes | None | |
| Precautionary Statements | P102 Keep out of reach of Children | |
| Other Hazards | HMIS: Health: 0 Flammability: 0 Physical hazard: 0 | |
| Hazard Symbol | None | |
| Risk Phrases | None | |
| Safety Phrases | None | |



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 2 of 8

*Clubman Talc Powder - Original***SECTION 3. COMPOSITION**

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS

| Chemical Name | INCI Name | CAS No. | % w/w |
|-------------------------|---------------|------------|-------|
| Talc (non -asbestiform) | Talc | 14807-96-0 | 97.30 |
| Zinc Oxide | Zinc Oxide | 1314-13-2 | 1.00 |
| Zinc Stearate | Zinc Stearate | 557-05-1 | 1.00 |

SECTION 4. FIRST AID MEASURES*GENERAL ADVISE*

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

ROUTES OF ENTRY

| | |
|--------------|---|
| EYE CONTACT | Rinse with plenty of water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. May be mildly irritating in sensitive individuals. Abrasion may cause eye irritation. |
| SKIN CONTACT | Mild skin irritation may occur in sensitive individuals. Wash with soap and water. The abrasivesness of talc may cause skin irritation. |
| INHALATION | Inhalation of dusts may cause sneezing, coughing and nose irritaiton. Long-term excessive exposures may cause talcosis, a pulmonary fibrosis which may lead to severe and permanent damage to the lung - possibly resulting in disability or death. |
| INGESTION | May cause mild irritation of gastrointestinal tract. Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting. Contact a physician. |

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Non known

NOTES TO PHYSICIAN

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES*FLAMMABILITY*

Non flammable

FLASH POINT



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 3 of 8

Clubman Talc Powder - Original

>200°C

EXTINGUISHING MEDIA

Dry chemical, carbon dioxide, Halon foam.

SPECIAL HAZARDS

None

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Household: Provide adequate ventilation. Cleanup personnel should use protective equipment to reduce eye contact, inhalation of dust and prolonged skin contact. Use vacuum suction with HEPA filters to clean up spilled material. Use wet sweeping or a dust suppressant where sweeping is necessary. Personal safety, handling and exposure recommendations described elsewhere in this data sheet apply to exposure during clean up of spilled material and must be followed.

ADVISE FOR EMERGENCY RESPONDERS

Use personal protective equipment.

ENVIRONMENTAL PRECAUTIONS

Household: Do not place spilled product in any drain or water system that can go into the environment. Industrial: Should not be released into the environment.

METHODS OF SPILL CONTAINMENT AND CLEAN-UP

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Provide adequate ventilation. Cleanup personnel should use protective equipment to reduce eye contact, inhalation of dust and prolonged skin contact. Use vacuum suction with HEPA filters to clean up spilled material. Use wet sweeping or a dust suppressant where sweeping is necessary. Personal safety, handling and exposure recommendations described elsewhere in this data sheet apply to exposure during clean up of spilled material and must be followed. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 4 of 8

Clubman Talc Powder - Original

SECTION 7. HANDLING AND STORAGE

WORK & HYGIENE PRACTICES

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

STORAGE & HANDLING

Store to minimize or avoid dust generation. Store in clean, dry locations. Avoid damaging container. Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care. Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8. EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE GUIDELINES

Household: Exposure guidelines are not relevant when the product is used as directed in a household setting. Wear long sleeve clothing to prevent skin contact.

Industrial: When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes. Wear long sleeve clothing to prevent skin contact.

VENTILATION

When working with large quantities of the product, provide adequate ventilation to meet exposure limit requirements. An exhaust filter system may be required to avoid environmental contamination.

RESPIRATORY PROTECTION

When established airborne exposure limits are surpassed, wear NIOSH/OSHA approved respiratory equipment for dust. Determine the appropriate type equipment for specific applications by consulting the respirator manufacturer. Observe the respiratory use limitations specified by NIOSM/OSHA or the manufacturer. In addition, respiratory protection programs must comply with 29CFR1910.134. Engineering or administrative controls should be implemented to reduce exposure.

EYE PROTECTION

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. Safety glasses equipped with side shields or dust tight goggles. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

HAND PROTECTION

Leather or other impervious gloves. If necessary refer to U.S. OSHA 1910.138, the appropriate standards for Canada or the E.C. member states.

BODY PROTECTION

**AMERICAN INTERNATIONAL INDUSTRIES**

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 5 of 8

Clubman Talc Powder - Original

Wear long sleeve clothing to prevent skin contact. No special body protection is required for this product under typical use and handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------------------|--------------------------------------|
| Appearance | Pink easy flowing crystalline powder |
| Color | Pinkish |
| Odor | Characteristic |
| pH | Not applicable |
| Viscosity | Not applicable |
| Melting Point/Freezing Point | Not available |
| Boiling Point | Not available |
| Evaporation Rate | Not available |
| Upper/Lower Flammability Limits | Not available |
| Vapor Pressure | Not available |
| Vapor Density | Not available |
| Relative Density | Not available |
| Solubility | Insoluble |
| Specific Gravity | 0.98-2.00 |

SECTION 10. STABILITY AND REACTIVITY*STABILITY*

Product is stable under ambient conditions when stored properly.

HAZARDOUS DECOMPOSITION

Not available

HAZARDOUS POLYMERIZATION

Will not occur.

CONDITIONS TO AVOID

Water and moisture

INCOMPATIBLE SUBSTANCES

Not available

SECTION 11. TOXICOLOGICAL INFORMATION*TOXICITY DATA*

This product does not contain known human carcinogens.

**AMERICAN INTERNATIONAL INDUSTRIES**

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 6 of 8

*Clubman Talc Powder - Original***ACUTE TOXICITY**

| | |
|------------------------------|---|
| Principle Routes of Exposure | Absorbed through skin; ingestion. |
| Inhalation | Inhalation of dusts may cause sneezing, coughing and nose irritaiton. Long-term excessive exposures may cause talcosis, a pulmonary fibrosis which may lead to severe and permanent damage to the lung - possibly resulting in disability or death. |
| Skin Contact | The abrasivesness of talc may cause skin irritation. |
| Ingestion | May cause mild irritation of gastrointestinal tract. |
| Eye Contact | May cause mild (minimal) eye irritation. |

CHRONIC TOXICITY

| | |
|------------------------|--------------------------|
| Corrosivity | No information available |
| Sensitization | Non sensitizing |
| Neurological Effects | No information available |
| Reproductive Toxicity | None Known |
| Mutagenic Effects | None Known |
| Developmental Toxicity | None Known |
| Teratogenicity | None Known |
| Carcinogenicity | None Known |

SECTION 12. ECOLOGICAL INFORMATION**ACUTE TOXICITY**

No information available

PERSISTENCE AND DEGRADABILITY

No information available

BIOACCUMULATIVE POTENTIAL

No information available

BIOACCUMULATIVE POTENTIAL

No information available

MOBILITY

No information Available

OTHER ADVERSE EFFECTS

No information available

SECTION 13. DISPOSAL CONSIDERATIONS**WASTE DISPOSAL**



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 7 of 8

Clubman Talc Powder - Original

If this material becomes a waste, it does not meet the criteria of a hazardous waste as defined under the resource conservation and recovery act (RCRA 40 CFR 261, since it does not have the characteristics of subpart C, nor is it listed under subpart D. State or local hazardous waste regulations may apply if they are different from the federal regulations.

SPECIAL CONSIDERATIONS

None

SECTION 14. TRANSPORT INFORMATION*DOT*

Not regulated

TDG

Not regulated

MEXICO

Not regulated

IATA

Not regulated

ICAO

Not regulated

IMDG/IMO

Not regulated

SECTION 15. REGULATORY INFORMATION*SARA 313*

None

SARA 311/312 HAZARD CATEGORIES

This product contains substances regulated under 29 CFR 1910.1200 (OSHA Hazard Communication) as **immediate (Acute) health hazards**.

CERCLA

None

TSCA INVENTORY STATUS

All ingredients in this product are either naturally occurring and exempt from reporting or are included in EPA's toxic substance control act inventory of chemical substances.

OTHER FEDERAL REQUIREMENTS



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 5-21-2015

Page 8 of 8

Clubman Talc Powder - Original

OSHA Hazard Communication Status:

This product is considered hazardous under the criteria of the federal OSHA hazard communication standard 29 CFR 1910.1200.

WHMIS (Canada)

Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

STATE REGULATORY INFORMATION

None.

EUROPEAN UNION REQUIREMENTS 67/548/EEC

See section 2 of this document.

SECTION 16. OTHER INFORMATION

DISCLAIMER

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.