



Safety Data Sheet

MEDSPA SHAVING CREAM

Section 1. Identification

Product Identifier MEDSPA SHAVING CREAM
Synonyms MPH191101; MSC095014; MSD_SDS0063
Manufacturer Stock Numbers MPH191101; MSC095014

Recommended use Helpful for shaving
Uses advised against N/A

Manufacturer Contact Address
Medline Industries, Inc.
3 Lakes Drive
Northfield, IL, 60093
USA

Phone
(800) 633-5463

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(847) 643-4436

Website
www.Medline.com

Section 2. Hazards Identification

Classification GASES UNDER PRESSURE - Compressed gas
Signal Word Warning
Pictogram



Hazard Statements Contains gas under pressure; may explode if heated

Precautionary Statements

Response N/A

Prevention N/A

Storage Protect from sunlight. Store in a well-ventilated place.

| | |
|----------------------------------|------|
| Disposal | N/A |
| Ingredients of unknown toxicity | 0% |
| Hazards not Otherwise Classified | N.A. |

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|-----------|--|----------|
| | Fragrance | 0.015 % |
| 128-37-0 | Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- | 0.02 % |
| 74-98-6 | Propane | 0.4 % |
| 106-97-8 | Butane | 0.8 % |
| 75-28-5 | Isobutane | 0.8 % |
| 151-21-3 | Sulfuric acid monododecyl ester sodium salt | 1 % |
| 9002-92-0 | Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy- | 2.25 % |
| 102-71-6 | Ethanol, 2,2',2''-nitrilotris- | 3.25 % |
| 57-11-4 | Octadecanoic acid | 6.5 % |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

| | |
|-----------------|--|
| General Advice: | Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. |
| Eye Contact: | Flush eyes with large amounts of water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention. |
| Skin Contact: | If irritation develops wash area with water. Get medical attention if irritation persists. |
| Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if discomfort continues or if you feel unwell. |
| Ingestion: | Never give anything by mouth to an unconscious person. Consult a physician if necessary. |

Section 5. Fire Fighting Measures

| | |
|-------------------------------------|--|
| Suitable Extinguishing Media | In case of fire, use Dry Chemical, Foam and Carbon Dioxide (CO2) |
| Unsuitable Extinguishing Media | N.D. |
| Special Fire Fighting Procedures: | Self contained breathing apparatus and full protective clothing recommended. |
| Unusual Fire and Explosion Hazards: | N.D. |

Section 6. Accidental Release Measures

- Non-hazardous Small Spill:** Should be cleaned up at the time of the spill. Take all necessary precautions and wear any personal protective equipment that is applicable. Dispose of per local and state regulations.
- Non-hazardous Large Spill:** Should be cleaned up at the time of the spill. May require special treatment, equipment and/or emergency assistance. Dispose of per local and state regulations.

Section 7. Handling and Storage

- Handling Non-hazardous:** This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.
- Storage Non-hazardous:** Store in original package. Discard unused portion. Do not reuse. No special storage conditions required.

Section 8. Exposure Controls/Personal Protection

| Occupational Exposure Limits | Ingredient Name | ACGIH TLV | OSHA PEL | STEL |
|------------------------------|--|----------------|--|------|
| | Fragrance | N/A | N/A | N/A |
| | Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- | N/A | N/A | N/A |
| | Propane | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m3 (vacated) | N/A |
| | Butane | STEL: 1000 ppm | (vacated) TWA : 800 ppm (vacated) TWA: 1900 mg/m3 | N/A |
| | Isobutane | 0 | N/A | N/A |
| | Sulfuric acid monododecyl ester sodium salt | N/A | N/A | N/A |
| | Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy- | N/A | N/A | N/A |
| | Ethanol, 2,2',2''-nitrilotris- | TWA: 5 mg/m3 | N/A | N/A |
| | Octadecanoic acid | N/A | N/A | N/A |

Personal Protective Equipment

- Goggles, Gloves**
- Engineering Controls:** Ventilation.
- Respiratory Protection:** None required under normal use conditions.
- Skin Protection:** Protective Gloves: Gloves
- Eye Protection:** Safety glasses or goggles are recommended when using product.
- Other protective equipment:** Not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled, use appropriate protective clothing or equipment
- Work/hygienic practices:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

Section 9. Physical and Chemical Properties

| | |
|---------------------------------------|-----------|
| Physical State | Liquid |
| Color | White |
| Odor | Weak odor |
| Odor Threshold | N.D. |
| Solubility | Miscible |
| Partition coefficient Water/n-octanol | N.D. |
| VOC% | N/A |
| Viscosity | N.D. |
| Specific Gravity | 1 |
| Density lbs/Gal | N/A |
| Pounds per Cubic Foot | N/A |
| Flash Point | 70°C |
| FP Method | N.D. |
| Ph | 7.5-9 |
| Melting Point | N.D. |
| Boiling Point | N.D. |
| Boiling Range | N.D. |
| LEL | N/A |
| UEL | N/A |
| Evaporation Rate | N.D. |
| Flammability | N.D. |
| Decomposition Temperature | N.D. |
| Auto-ignition Temperature | N.D. |
| Vapor Pressure | N.D. |
| Vapor Density | N.D. |

Section 10. Stability and Reactivity

| | |
|--|--|
| Stability: | Stable. |
| Reactivity: | N.D. |
| Incompatibility (Materials to Avoid): | Strong oxidizing agents. Reducing agents. Strong acids. |
| Incompatibility (Materials to avoid): | Strong bases. |
| Hazardous Decomposition or Byproducts: | Thermal decomposition products: Carbon monoxide, Carbon dioxide, Nitrogen oxide. |
| Hazardous Polymerization | Will not occur. |
| Conditions to avoid: | Extreme/high temperatures. |

Section 11. Toxicological Information

| | |
|------------------------------|-----------------------------------|
| Acute Toxicity: Eye Contact | May cause irritation. |
| Acute Toxicity: Skin Contact | N.A. |
| Acute Toxicity: Inhalation | N.A. |
| Acute Toxicity: Ingestion | N.A. |
| Carcinogenicity: | NTP listed: No IARC listed: No |
| Chronic Toxicity: | N.A. |
| OSHA STEL/PEL: | N.A. |
| ACGIH TLV: | N.A. |

Section 12. Ecological Information

| | |
|--------------------------------|------|
| Toxicity: | N.D. |
| Persistence and degradability: | N.D. |
| Bioaccumulative potential: | N.D. |
| Mobility in soil: | N.D. |
| Other adverse effects: | N.D. |

Section 13. Disposal

| | |
|-----------------|--|
| Waste Disposal: | Waste must be disposed of in accordance with federal, state and local environmental control regulations. |
|-----------------|--|

Section 14. Transport Information

| | |
|-------------------------|------------------------------------|
| UN Number | 1950 |
| UN Proper Shipping Name | Aerosols, non-flammable class 2.2. |
| DOT Classification | 2.2. |
| Packing Group | N/A |

Section 15. Regulatory Information

SARA 311/312: N.A.

SARA 302: N.A.

SARA 313: N.A.

TSCA: N.A.

CERCLA Hazardous
Substance List: N.A.

Clean Air Act (CAA) Section
112, 112 (r): N.A.

Massachusetts Right to
Know Components: LIQUEFIED PETROLEUM GAS.

New Jersey Right to Know
Components: PROPANE.

BUTANE

ISOBUTANE.

TRIETHANOLAMINE.

Pennsylvania Right to Know
Components: PHENOL, 2,6-BIS(1,1-DIMETHYLETHYL)-4-METHYL-
PROPANE.

BUTANE.

ISOBUTANE.

ETHANOL, 2,2',2"-NITRILOTRIS-.

Section 16. Other Information

Revision Date 02/10/2017

Legend N.A. - Not Applicable
N.E. - Not Established
N.D. - Not Determined

HMIS (U.S.A.): Health Hazard O

HMIS (U.S.A.): Flammability O

HMIS (U.S.A.): Physical Hazard O

HMIS (U.S.A.): Personal Protection 2

National Fire Protection Association (U.S.A): Health Hazard O

National Fire Protection Association (U.S.A): Flammability O

National Fire Protection Association (U.S.A): Instability Hazard 2

National Fire Protection Association (U.S.A): Special Hazard O

Additional Information The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees