SDS #: 420 Revision Date: June 26, 2015 Save SDS to Your Library

Isopropyl Alcohol Safety Data Sheet (SDS)

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Isopropyl Alcohol

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261 Chemtrec Emergency Phone Number: (800) 424-9886 Signal Word

DANGER

SECTION 2 — HAZARDS IDENTIFICATION Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Serious eye damage or irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing mist, vapors or spray (P261).

The single lethal dose for a human adult is about 250 mL, although as little as 100 mL can be fatal. Although isopropyl alcohol is slightly toxic by definition, teachers should be alert to students attempting to drink this "alcohol" on a dare.

Pictograms



SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

Component Name		CAS Number	Formula	Formula Weight	Concentration
lsopropyl alcohol (/link/10e19bb2e87240619c5ce237d4ef1a4e.aspx)	Buy Now (/link/10e19bb2e87240619c5ce237d4ef1a4e.aspx)	67-63-0	C ₃ H ₈ O	60.1	

Synonyms: 2-Propanol, Rubbing alcohol

SECTION 4 - FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). If eye irritation persists eyes: Get medical advice or attention (P337+P313).

If on skin or hair: Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). If skin irritation occurs: Get medical advice or attention (P332+P313). If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell. SECTION 5 - FIRE FIGHTING MEASURES Class IB flammable liquid. Flash point: 12 °C Flammable limits: Lower: 2.0% Upper: 12.7% Autoignition Temperature: 399 °C When heated to decomposition, may emit toxic fumes. In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378). NFPA Code H-1 F-3 R-0 SECTION 6 - ACCIDENTAL RELEASE MEASURES Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information. SECTION 7 - HANDLING AND STORAGE Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor™ can. Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271). Avoid prolonged storage (see Section 10). SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271). Exposure guidelines: PEL 980 mg/m³ (OSHA); TLV 492 mg/m³ Ceiling 984 mg/m³ (ACGIH) SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Appearance: Clear, colorless liquid. Boiling point: 83 °C Odor: Distinctive odor like rubbing alcohol. Melting point: -89 °C Soluble: Water, alcohol, and ether Specific gravity: 0.8 Vapor Density: 2.1 Viscosity: 2.038 mPa s at 25 °C SECTION 10 - STABILITY AND REACTIVITY Avoid contact with strong oxidizers, acetaldehyde, chlorine, ethylene oxide, acids, and isocyanates. Shelf life: Fair. Organic peroxides may develop if exposed to light and air, which can result in explosions, especially when distilled. Avoid prolonged storage. SECTION 11 - TOXICOLOGICAL INFORMATION Exposure Routes: Inhalation, ingestion, skin and/or eye contact ORL-RAT LD₅₀: 5045 mg/kg Acute effects: Serious eye irritant, mild skin irritant, dizziness, drowsiness, nausea, IHL-RAT LC50: 16,000 ppm/8H SKN-RBT LD₅₀: 12,800 mg/kg headache. SECTION 12 - ECOLOGICAL INFORMATION Chronic effects: N.A. Target organs: Eyes, skin, respiratory system. Data not yet available. SECTION 13 - DISPOSAL CONSIDERATIONS Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #18a is one option. SECTION 14 - TRANSPORT INFORMATION Shipping name: Isopropyl alcohol. Hazard class: 3, Flammable liquid. UN number: UN1219. SECTION 15 - REGULATORY INFORMATION TSCA-listed, EINECS-listed (200-661-7), RCRA code D001. SECTION 16 - OTHER INFORMATION This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific. Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S). N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: June 26, 2015