NATIONAL REFRIGERANTS INC -- REFRIGERANT 22 (HCFC-22) -- 6830-00-935-9896

Product ID: REFRIGERANT 22 (HCFC-22) MSDS Date: 03/01/1998 FSC: 6830 NIIN:00-935-9896 Status Code: A MSDS Number: CKVGM === Responsible Party === Company Name: NATIONAL REFRIGERANTS INC Address: 661 KENYON AVE City: ROSEHAYN State:NJ ZIP:08302 Country: US Info Phone Num: 800-262-0012 Emergency Phone Num: 609-455-4555 Preparer's Name: RAY MADARIAGA Chemtrec Ind/Phone: (800) 424-9300 CAGE: 4J994 === Contractor Identification === Company Name: NATIONAL REFRIGERANTS INC Address: 661 KENYON AVE Box: City: BRIDGETON State: NJ ZIP:08302 Country: US Phone: 800-262-0012/215-698-6620 CAGE: 4J994 ======= Composition/Information on Ingredients ======== Ingred Name: CHLORODIFLUOROMETHANE (R22) CAS:75-45-6 RTECS #: PA6390000 = Wt:100.OSHA PEL:1000 PPM TWA ACGIH TLV: 3540 MG/M3; 1000 PPM Ozone Depleting Chemical: 2 ========= Hazards Identification ================ LD50 LC50 Mixture: C/CE. PLEASE FILL OUT THIS SECTION Reports of Carcinogenicity: NTP: NO IARC: NO Health Hazards Acute and Chronic: TARGET ORGANS AFFECTED BY EXPOSURE TO THIS MATERIAL ARE: EYES, SKIN, CENTRAL NERVOUS SYSTEM, RESPIRATORY SYSTEM, HEART. EYE: IRRITANT. VAPOR IS IRRITATING TO EYES. LIQUID IS IRRITATING TO EYES & MAY C AUSE TISSUES TO FREEZE. SKIN: IRRITANT. CONTACT WITH LIQUID MAY CAUSE TISSUES TO FREEZE (FROST BITE). CHEMICAL ITSELF IS NOT IRRITATING. Explanation of Carcinogenicity: THIS PRODUCT DOES NOT CONTAIN ANY COMPONENTS LISTED BY NTP OR IARC OR REGULATED BY OSHA ASA CARCINOGENS. Effects of Overexposure: IRRITATION, REDNESS AND PAIN FROM FROSTBITES. Medical Cond Aggravated by Exposure: PERSONS WITH PREEXISTING HEART

DISEASE MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INGESTION: N/A-PRODUCT IS A GAS AT AMBIENT CONDITIONS.

DERMAL: FLUSH EXPOSED SKIN WITH LUKEWARM WATER (NOT HOT) - OR USE OTHER MEANS TO WARM SKIN SLOWLY. GET MEDICAL ATTENTION IF FROSTBITTEN BY LIQUID OR IF IRRITATION OCCURS. EYE: IF IN EYES, IMMEDIATELY FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ART IFICIAL RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN. GET MEDICAL ATTENTION.

Flash Point: NONFLAMMABLE

Autoignition Temp:=632.C, 1169.6F

Lower Limits:NA Upper Limits:NA

Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE CONDITIONS.

- Fire Fighting Procedures: FIREFIGHTERS & OTHERS WHO MAY BE EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR FULL FIRE FIGHTING TURN OUT GEAR (FULL BUNKER GEAR) & SELF CONTAINED BREATHING APPARATUS (PRESSURE DEMAND MSAH/NIOSH APPR OVED OR EQUIVALENT). FIRE FIGHTING EQUIPMENT SHOULD BE THOROUGHLY DECONTAMINATED AFTER USE.
- Unusual Fire/Explosion Hazard: MAY DECOMPOSE DURING CONTACT WITH FLAMES, HEATING ELEMENTS, OR IN COMBUSTION ENGINES RELEASING IRRITATING, TOXIC, & CORROSIVE GASES. CONTAINER MAY EXPLODE IF HEATED DUE TO RESULTING PRESSURE RISE. SOM E MIXTURES OF HCFCS &/OR HFCS, & AIR OR OXYGEN MAY BE COMBUSTIBLE IF PRESSURIZED & EXPOSED TO EXTREME HEAT OR FLAME

======== Accidental Release Measures =============

Spill Release Procedures: REMOVE OR EXTINGUISH IGNITION OR COMBUSTION SOURCES. EVACUATE ENCLOSED SPACES UNTIL GAS IS DISPERSED. KEEP UPWIND. STOP LEAK IF POSSIBLE WITHOUT RISK. DISPERSE GAS WITH FLOOR-LEVEL FORCED-AIR VENTILAT ION. EXHAUST VAPORS OUTDOORS. REMOVE ALL FLAMES, HEATING ELEMENTS & GAS ENGINES. WASH CONTAMINATED CLOTHES BEFORE USE. DESTROY CONTAMINATED SHOES. Neutralizing Agent: NONE PROVIDED BY MFR.

Handling and Storage Precautions: DO NOT GET IN EYES, ON SKIN OR CLOTHING. DO NOT BREATHE VAPOR, MIST OR GAS. KEEP CONTAINER CLOSED. KEEP AWAY FROM HEAT, SPARKS, & FLAMES. STORE IN TIGHTLY CLOSED CONTAINERS. EMPTY CONTAINERS MAY CONTA IN HAZARDOUS RESIDUE. DO NOT DROP, REUSE OR REFILL CONTAINER. DO NOT SMOKE. READ LABEL BEFORE USE.

Other Precautions: PROTECT ALL EXPOSED SKIN FROM LIQUID CONTACT.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH/MSHA APPROVE FULL FACE (TC-19C) SUPPLIED AIR RESPIRATOR OR SELF-CONTAINED BREATHING APPRATUS WHERE AIRBORNE EXPOSURE IS LIKELY OR IF CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMIT. FOR EM ERGENCY, USE APPROVED FULL FACE POSITIVE-PRESSURE AIRLINE WITH AUXILIARY SELF-CONTAINED BREATHING APPARATUS.

Ventilation: DILUTION VENTILATION ACCEPTABLE, LOCAL MECHANICAL EXHAUST

VENTILATION PREFERRED, IF PRACTICAL, AT SOURCES OF AIR CONTAMINATION SUCH AS OPEN PROCESS EQUIPMENT. Protective Gloves: CHEMICAL RESISTANT GLOVES TO PREVENT SKIN CONTACT Eye Protection: WEAR CHEMICAL GOGGLES IF POTENTIAL FOR EYE CONTACT Other Protective Equipment: EYE FLUSHING EQUIPMENT IMMEDIATELY AVAILABLE. APPROPRIATE CHEMICAL RESISTANT PROTECTIVE CLOTHING. Work Hygienic Practices: RINSE CONTAMINATED CLOTHING & CLEAN PROTECTIVE EQUIPMENT BEFORE REUSE. WASH SKIN THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE. ======== Physical/Chemical Properties ========== Boiling Pt:=-40.6C, -41.4F Melt/Freeze Pt:=-160.C, -256.F Decomp Temp: Decomp Text: NONE PROVIDED BY MFR. Vapor Pres:136 PSIA @ 21C / 70 F Vapor Density: 2.98@1 ATM Spec Gravity: 1.17 @ 30 / 0 C (H20=1) Evaporation Rate & Reference: GAS Solubility in Water: SLIGHT Appearance and Odor: COLORLESS, LIQUIFIED GAS WITH FAINT ETHEREAL ODOR Percent Volatiles by Volume: 100.0 Corrosion Rate: NONE PROVIDED BY MFR ======= Stability and Reactivity Data ============ AVOID CONTACT WITH STRONG ALKALI OR ALKALINE EARTH METALS, FINELY POWDERED METALS SUCH AS ALUMINUM, MEGNESIUM OR ZINC & STRONG OXIDIZERS SINCE THEY MAY REACT WITH OR ACCELERATE DECOMPOSITION OF THIS MATERIAL Stability Condition to Avoid: FLAMES, EXTREMELY HOT METAL SURFACES, HEATING ELEMENTS, COMBUSTION ENGINES, ETC. DO NOT MIX HCFC-22 WITH OXYGEN OR AIR ABOVE ATMOSPHERIC PRESSURE. Hazardous Decomposition Products: THERMAL DECOMPOSITION PRODUCTS INCLUDE HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, CARBON MONOXIDE, CARBON DIOXIDE AND CHLORINE. ========= Toxicological Information ============ Toxicological Information: DENSE VAPORS DISPLACE BREATHING AIR IN CONFINED AREAS CAUSING ASPHYXIATION. THIS COMPOUND ALSO INCREASES THE SENSITIVITY OF THE HEART TO ADRENALINE, POSSIBLEY RESULTING IN RAPID AND IRREGULAR HEART BE AT AND DEPRESSION OF CARDIAC FUNCTION. ======= Ecological Information ============ Ecological: NO INFORMATION PROVIDED. ======= Disposal Considerations ========== Waste Disposal Methods: RECYCLE OR RECLAIM IF POSSIBLE. RECLAIMED MATERIAL MAY BE INCINERATED BUT TOXIC & CORROSIVE COMBUSTION PRODUCTS (HF & HCL) MUST BE HANDLED APPROPRIATELY. CONSULT FEDERAL, STATE, OR LOCAL AUTHORITIES F OR PROPER DISPOSAL PROCEDURES. ====== MSDS Transport Information =========== Transport Information: PSN: CHLOROFLUOROMETHANE (R-22), 2.2, UN1018.

=======================================	Regulatory	Information	

SARA Title III Information: SEC 313: THIS CHEMICAL IS SUBJECT TO THE REPORTING REQUIREMENTS OF THIS SECTION (40CFR PART 372). Federal Regulatory Information: THIS CHEMICAL IS LISTED ON THE US EPA TSCA INVENTORY.

----- Other Information -----

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.