
#### AMERICAN INTERNATIONAL INDUSTRIES



# MATERIAL SAFETY DATA SHEET

## Section 1. Product and Company Identification

Product Name: Gigi Anesthetic Numbing Spray DATE: 8/10/2007

Formula: N/A REV. NEW

Item#: 0725

Manufacturer: American International Industries

2220 Gaspar Ave

Los Angeles, CA 90040

Chem-Tel: (800) 255-3924

# Section 2. Composition / Information on Ingredients

#### **Hazardous Ingredients:**

Component	CAS#	%	Exposure Limits ppm
Isobutane	75-28-5	30.00%	800ppm TLV
Alcohol Denat.	N/A	9.90%	1000ppm PEL
Lidocaine	137-58-6	2.80%	None Established
Isododecane	31807-55-3	60.00%	None Established

#### Section 3. Hazardous Identification

# Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Eyes, skin or inhalation

Eye: Liquid and vapor may cause irritation. Splashes may cause temporary pain and blurred vision. Skin: May cause irritation, cracking, flaking and defatting of skin. Avoid contact with damaged skin.

Direct contact with propellant may cause frostbite to occur.

Ingestion: Can cause depression of Central Nervous System, nausea, vomiting, intoxication, liver damage,

and diarrhea.

May cause irritation to mucous membranes of the upper respiratory tract. Excess exposure may

Inhalation: cause headache, drowsiness, and inability to concentrate. Inhalation of propellant may cause

asphyxiation by oxygen displacement.

#### Section 4. First Aid Measures


First Aid for Eye: Irrigate with gently flowing water immediately and continuously for up to 15 minutes while

holding eyelids open. Consult physician if irritation persists.

First Aid for Skin: Flush with plenty of water for at least 15 minutes. If frostbite occurs gently warm affected area.

Consult physician if irritation persists. Launder contaminated clothing before reuse.





# **MATERIAL SAFETY DATA SHEET**

First Aid for Inhalation: If ill effects occur, remove to fresh air. If breathing has stopped, perform artificial respiration.

Seek medical attention as needed.

First Aid for Ingestion: DO NOT INDUCE VOMITING. Call physician or Poison Control Center immediately.

Note to Physician: No specific antidote. Treat symptomatically. Because inhalation of propellant may cause

disturbance of cardiac rhythm, catecholamine drugs, such as epinephrine, should only be used

with special caution in situations of emergency life support.

# **Section 5. Fire Fighting Measures**

Flash Point (°F/°C): < 73°F / 22.7°C

Flammable Limit

(vol%):

Not available

Auto-ignition Temp.

(vol%)

Not available

Extinguisher Media: Use water, "Alcohol" foam, dry chemical or carbon dioxide

Fire & Explosion

Hazards:

Keep containers cool and away from flames and sources of ignition. Do not crush or puncture

containers. Closed containers exposed to excessive heat may rupture.

Special Fire Fighting

Procedures:

Attempt to keep containers and/or product cool with water spray. Do NOT use direct water stream as this may spread fire to a larger area. Wear full bunker gear while controlling fire in

confined areas.

#### Section 6. Accidental Release Measures

Spill or Release Procedures: For small spills or leaks, contain spill with inert material; sweep up and place in a disposal container. For large spills, dike far ahead of spill for later disposal. Do not release into sewers or water-ways.

#### Section 7. Handling and Storage

Handling & Storing: Store in cool place. Keep away from heat, sparks and flame. Do not lay the container on its

side. Use with proper ventilation. Avoid prolonged breathing vapor. Avoid contact with eyes and prolonged or repeated skin contact. Static electricity may accumulate and cause a fire

hazard.


### Section 8. Exposure Controls / Personal Protective Equipment

### **Respiratory Protections (Specific Type):**

None required, when used with adequate ventilation.

Ventilation to be Used:

#### AMERICAN INTERNATIONAL INDUSTRIES



# MATERIAL SAFETY DATA SHEET

Use adequate ventilation.

#### Other Protective Clothing and Equipment:

None required under normal conditions of use. When handling large quantities (e.g., > 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133).

#### **Hygienic Work Practices:**

Wash hand thoroughly after using this product and before eating, drinking, or smoking.

# Section 9. Physical and Chemical Properties

Appearance @ 25°C: Colorless clear liquid (bulk) Evaporation Rate: Not determined

Odor @ 25°C:CharacteristicVapor Pressure:30.7 (for propellant)pHNot availableVapor Density:2.010 (for propellant)

Specific Gravity: Not available Volatiles (by 36% Solids, %: Not available weight):

Melting Point: Not applicable
Solubility in water: Insoluble

# Section 10. Stability and Reactivity

Stability: Stable

# **Hazardous Decomposition Products:**

Excessive heat may cause Carbon Monoxide, Carbon Dioxide and unidentified organic compounds to be released.

#### Incompatibility (Materials to Avoid):

Strong oxidizing agents.

#### **Hazardous Polymerization:**

Will not occur

Conditions to Avoid: Heat, sparks, flame, strong acids and contact with strong oxidizing agents.

# Section 11. Toxicological Information


This is a personal care product that is safe for use under normal and reasonable foreseeable use.

**Skin Irritation:** Not available

**Eye Irritation:** Not available

Sensitization: Not available

### AMERICAN INTERNATIONAL INDUSTRIES



# MATERIAL SAFETY DATA SHEET

**Acute Toxicity** 

Not available

(LC50):

**Acute Toxicity** 

(LC50):

Not available

Sub acute Toxicity:

Not available

**Chronic Toxicity:** 

Not available

# Section 12. Ecological Information

**Biodegradation:** Not available.

**Bioaccumulation:** Not available.

Aquatic Toxicology: Not available.

Other Information: Not available.

# Section 13. Disposable Considerations

Disposal requirements are dependent on hazard classification and will vary by location and the type of disposal selected. Do not dispose the emptied container unlawfully. Observe all federal, state, and local laws.

## Section 14. Transportation Information

#### <DOT Information>

Proper Shipping Name (49CFR 172.101): Aerosols

Hazard Class: 2

UN/NA: UN1950 Packing Group: III

# Section 15. Regulatory Information

Additional regulatory information available upon request.

#### Section 16. Other Information

No additional information available.